Downlights





OVERVIEW

Series 834 is a high performance Circular recessed LED downlight with Ø195mm. There are a choice of outputs up to 3000lm and a large choice of drop glass options to suit any application. Series 834 is also versatile with offering multiple control options including DALI and wireless Casambi. The luminaire is made from Die cast bezel with an aluminium extruded heatsink to provide good thermal management.

FEATURES

- Lifetime >60,000 hours @ L70
- IP20
- · Excellent thermal management
- High Quality LED & Driver combination

OPTIONS

- 3000K & 4000K
- DALI & Wireless Casambi options
- Drop glass accessories
- · Emergency options





















T: 01282 476600 | E: info@photoniclighting.co.uk
Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH


www.photoniclighting.co.uk

SERIES 834


Downlights



PRODUCT DIMENSIONS



PHOTOMETRIC



T: 01282 476600 | E: info@photoniclighting.co.uk Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photoniclighting.co.uk

Downlights



PRODUCT SPECIFICATION

834 - (LM) - (CCT) - (CR) - (OP) - (DG) - (CTR) - (EM)

Lumen Output (LM)	
Code	Description
11	1100lm (9.5W)
20	2000lm (17.5W)
30	3000lm (30.5W)

Beam Angle (OP)	
Code	Description
50	50°
60	60°

Correlated Colour Temperature (CCT)	
Code	Description
830	80 CRI 3000K
840	80 CRI 4000K

Drop glass choice (DG)		
Code	Description	
OE	Outer Etched Glass	
CG	Full Clear Glass	
CE	Centre Etched Glass	
CH	Clear Halo Glass	
EH	Etched Halo Glass	
F	Full Etched Glass	

Colour (CR)	
Code	Description
W	White RAL9010

Control (CTR)	
Code	Description
N	Switched
D	DALI
RD	Retractive Dim
BC	Bluetooth Casambi

Emergency (EM)	
Code	Description
L3	3W Emergency
DE3	Dali 3W Emergency

OPTIONS











T: 01282 476600 | E: info@photoniclighting.co.uk
Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photoniclighting.co.uk